

Health Inequalities and General Practice in deprived areas

Dr Philip Crowley
General Practice Health Inequalities Project
Irish College of General Practitioners

With thanks to Niamh Killeen, Gillian Doran and Terry Jones

Irish Health Inequalities

- Death rates in the lowest occupational class more than three times those of the highest
- Chronic illness is 10% for higher professional Vs 25% for unskilled manual class
- 1 in 10 Irish children live in consistent poverty, 1 in 4 live in relative poverty.
- Peri-natal mortality rate three times higher for unskilled manual families Vs higher professional
- Childhood accidents in the home most common in lower income groups

Irish Health Inequalities

- Average life expectancy of a homeless person who sleeps rough is 42 years
- Unemployed women - more than twice as many low birth weight babies as the higher professional group
- Travellers live 11 years less than settled people
- Ireland has the highest level of income inequality in Europe, and the second highest in OECD countries
- Ireland's richest 20 per cent earns six times as much as the poorest 20 per cent

The literature on practice in deprived areas

- Higher rates of demand for GP services in deprived areas associated with higher illness rates
- More home visits and out of hours demand, more use of A+E
- Rural practices – more demand for on-call and wider range of services

The role of general practice in creating inequalities?

- GPs No.s higher in wealthier areas
- Some evidence internationally for lower referral rates to hospital for poorer patients, women and ethnic minorities
- Better resourced practices in wealthy areas hit targets and bonuses more easily

The role of general practice in tackling inequalities

- Investment in primary care improves population health
- Deprivation weighted payments can enhance services
- GPs should be vocal advocates for change
- Tackle access to own services esp for minority groups, disabled etc.

A survey of 2419 GPs

- 718 responses – a rate of 29.6%
- 25% aged over 55
- Practices with average 2.6 partners
- 30% single-handed
- 31% are female
- 23% rural, 38% urban and 39% mixed

How many practice in deprived areas?

- 40% felt they practised in deprived areas
- Comparing deprivation and %GMS correlation is strongest at over 60% GMS and stronger still at 70%
- >60% GMS includes 30% of practices
- >70% GMS includes 22% of practices

Morale in Irish General Practice

- Only 9.6% felt morale poor/very poor
- 27% felt it was average. 63% good/very good
- Lower morale associated with male GPs, older GPs, single handed GPs and those in deprived areas or high GMS%

Difficulties in providing quality care in deprived areas

- Lack of access to hospital and community services for patients - 59%
- Social and psychological problems in patients - 54%
- Lack of time to deliver care - 44%
- Need to work harder in deprived areas to earn same income - 38%

Positive aspects of working in a poor community

- Good relationships with patients - 84%
- 'Real need' for their service - 82%
- Potential for greater impact - 64%

Obstacles facing patients accessing services 1

- Lack of GMS card for poor patients accessing GP - 84%
- Self exclusion by patients accessing GP – 49 %
- -----
- Long waiting lists for community services - 94%
- Lack of community services - 76%

Obstacles facing patients accessing services 2

- Bureaucracy hindering access to community services - 59%
- -----
- Long waiting times for hospital services - 59%
- 2-tier access to hospitals - 52%
- Bureaucracy in hospital services - 46%

GP priorities for action

- Additional deprivation payment
- Increase the medical card income threshold
- Develop multi-disciplinary teams and fund ancillary staff
- GPs and ICGP to become advocates for tackling health inequalities
- Cut hospital waiting lists and tackle 2-tier access

Other GP priorities for action

- Health education for patients
- Train and employ more doctors for deprived areas
- Develop counseling and social supports
- Improve rural access/transport
- Direct access to hospital tests
- Tackle health inequality

Current practice/policy context

- Primary Care strategy
- NAPS - health focus
- Social inclusion division in DoHC
- Social inclusion in PCCC and population health in HSE
- GP and consultant contract negotiations commence

Conclusions

- Significant health inequalities
- Primary care key to tackling them
- Access to hospital and GMS needs further action
- Positive aspects of working in deprived areas
- Need to target resources to areas of deprivation and develop teams